

# GUILFORD COUNTY SCHOOLS

# Invitation for Bid Addendum #1 02/20/2024

Purchasing Department 501 W. Washington Street Greensboro, NC 27401

Direct all inquiries to:	Invitation for Bid: 6621
Velicia Moore	Proposal due date: February 28, 2024
gaddyv@gcsnc.com 336.370.3240	Commodity: Air Quality Smart Sensors

#### **NOTICE TO BIDDERS**

Please be advised that this document serves as Addendum #1 to IFB 6621 – Air Quality Smart Sensor Installation for the 2022 Bond. The following is a statement from Guilford County Schools (GCS) and questions asked by vendors. The answers were provided by GCS, please see below:

## <u>Statement</u>

Your proposal will need to be delivered to:

501 W. Washington Street Greensboro, NC 27401 Attn: Velicia Moore IFB #6621

Note: This proposal cannot be emailed.

### Questions

- Q1. There is a requirement that the sensor must detect the spoken word. My question is that if a device can understand the spoken word that means there is a microphone in the device which then violates all privacy laws.
- A1. The spoken word function is typically five (5) keywords that can be preloaded in the device. These keywords would be used by someone in distress. Whenever the keyword is said aloud, the device will send a notification to those who have been designated to receive the alerts. This is not a listening device.
- Q2. Can we submit a device that does not have that capability to allow us to stay within the privacy laws?
- A2. We prefer a device that includes this functionality.

Rev.06/18 Page 1 of 1